

**GOVERNMENT OF WEST BENGAL
OFFICE OF THE PRINCIPAL
RAMKRISHNA MAHATO GOVT. ENGINEERING COLLEGE
PURULIA, PIN-723103**

Memo No. 07 /CA/RKMGECE/2022-23

Dated, Purulia the 22th July-2022

QUOTATION NOTICE NO. : Spot-07 /CA/RKMGECE/2022-23

Spot quotation for supply of Portable Public Address (P.A) System at RKMGECE, Purulia

Spot quotations are invited by the Principal, Ramkrishna Mahato Govt. Engineering College, Purulia for the Supply, Installation, Testing & Commissioning of Portable PA System at RKMGECE, Purulia (details are given in college website <https://www.rkmgece.ac.in>) from the reputed agency. The quotation documents can be obtained from the office of the Principal, Ramkrishna Mahato Govt. Engineering College on any working day from 23.07.2022 to 29.07.2022 (11-00 A.M to 2-00 P.M.).

Quotation papers must be submitted in sealed envelope to the office of undersigned on or before 30.07.22 up to 12-00 P.M. addressed to the Principal, Ramkrishna Mahato Govt. Engineering College, Purulia and must be mentioning the subject mentioned above and *Quotation* No. Spot-07/CA/RKMGECE/2022-23 on the top of cover. The quotations will be opened at 1.30 P.M. on 30.07.22 in presence of the quotation owners willing to be present at that time in the Institute office.

Validity of offered rates should remain valid Up to **31.03.2023**.

Copies of Income Tax, PAN, GST account details, Trade License for proprietorship firms must be enclosed along with the quotation papers.

The rate of the item(s) should be quoted **exclusive and inclusive all taxes**.

Items are to be supplied and installed within 07 days from receiving order.

The undersigned reserves the right to accept or reject any quotation without assigning any reason.

If the last day of Receiving Quotation/Opening Quotation happens to be holiday the quotation(s) will be opened on the next working day at the same time and place.



Dr. Bibek Chakrabarti)
Principal
Ramkrishna Mahato Government Engineering College
Vill:- Agharpur, P.O.- Ramamoti, Block:- Joypur
District :- Purulia, Pin -723103

**GOVERNMENT OF WEST BENGAL
OFFICE OF THE PRINCIPAL
RAMKRISHNA MAHATO GOVT. ENGINEERING COLLEGE
PURULIA, PIN-723103**

Memo No. 07/CA/RKMGEC/2022-23

Dated, Purulia the 22th July-2022

Copy to:-

1. The Sabhadhipati, Purulia Zilla Parishad, Purulia-You are requested to display this notice in your notice board.
2. The District Magistrate, Purulia-You are requested to display this notice in your notice board.
3. The SDO, Jhalda, Purulia-You are requested to display this notice in your notice board
4. Office of the Gram Panchayat, Baragram.
5. District information officer, Purulia- He is requested to upload the notice in district NIC portal.
6. Notice Board, Ramkrishna Mahato Govt. Engineering College, Purulia.
- 7 .College website (<https://www.rkmgec.ac.in>).



Dr. Bibek Chakrabarti

Principal
Ramkrishna Mahato Government Engineering College
Vill:- Agharpur, P.O.- Ramamoti, Block:- Joypur
District :- Purulia, Pin -723103

**GOVERNMENT OF WEST BENGAL
OFFICE OF THE PRINCIPAL
RAMKRISHNA MAHATO GOVT. ENGINEERING COLLEGE
PURULIA, PIN-723103**

ANNEXURE-I

Name of Work: Supply, Installation, Testing & Commissioning of Portable PA System

Bill of Materials:


S/N	ITEM DESCRIPTION	QTY	UOM
1	Active Loudspeaker	1	No
2	Duet Wireless Hand Held Microphone	1	No
3	Speaker Stand	1	No

Technical Specification of Active Loudspeaker:

Parameters	Specifications	Compliance (Y/N)
Proposed Make:	Proposed Model:	
Type	Active Speaker	
Power Output - (RMS / Peak) Watts	400 / 800	
Amplifier Type	Class D DSP	
Frequency Response	40Hz-20kHz \pm 3dB	
Max SPL (dB)	128dB	
LF Driver Size	1 x 15" woofer with 3" voice coil	
HF Driver Size	1" exit with 1.75" with voice coil	
Input Connector	Combo XLR	
Output Connector	Balanced XLR (M)	
Make	Bose/JBL/Studio Master/Yamaha	

Technical Specification of Duet Wireless Hand Held Microphone:

Parameters	Specifications	Compliance (Y/N)
Proposed Make:	Proposed Model:	
Receiver	Dual Channel Non-Diversity	
Frequency Response	50 Hz – 16 Khz	
Polar Pattern	Cardioid	
Output	Individual Channel: XLR /MixOut 1/4" Jack	
Power Req.	2 x 1.5V AA	
Receiver	240V AC/50Hz Adaptor	
Make	Sennheiser/EV/Studio Master/Shure	


Principal
Ramkrishna Mahato Government Engineering College
Vill:- Agharpur, P.O.- Ramamoti, Block:- Joypur
District :- Purulia, Pin -723103

GOVERNMENT OF WEST BENGAL
OFFICE OF THE PRINCIPAL
RAMKRISHNA MAHATO GOVT. ENGINEERING COLLEGE
PURULIA, PIN-723103

Quotation documents for Supply , Installation, Testing & Commissioning of Portable PA System at RKMGEC,Purulia

Purchase requirement for Supply , Installation, Testing & Commissioning of Portable PA System of the college							
Department : Office Administration							
Sl. No	Items	Description/ Specification	Quantity	Rate in Rs./- excluding all taxes	Total price in Rs./- excluding all taxes	Rate in Rs./- including all taxes	Total price in Rs./- including all taxes
1	i) Active Loudspeaker ii) Duet Wireless Hand Held Microphone iii) Speaker Stand (Including Freight Charge)	As per ANNEXURE-I	1 Set each				

Total amount:

Signature of the bidder